HYCOM APE Skill Testing using Historical Records

Conrad Luecke[1]   Steven L. Bassette[1]   Brian Arbic[1]
Jim Richman[2]   Patrick Timko[3]   Robert Scott[4]

University of Michigan

Naval Research Laboratory

Bangor University

University of Brest

LOM Conference 2013

		Form Approved OMB No. 0704-0188

Report Documentation Page

1. REPORT DATE **MAY 2013**	2. REPORT TYPE	3. DATES COVERED **00-00-2013 to 00-00-2013**
4. TITLE AND SUBTITLE **HYCOM APE Skill Testing using Historical Records**		5a. CONTRACT NUMBER
		5b. GRANT NUMBER
		5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)		5d. PROJECT NUMBER
		5e. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) **University of Michigan-Ann Arbor,Ann Arbor,MI,48109**		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release; distribution unlimited

13. SUPPLEMENTARY NOTES
Layered Ocean Model Workshop, Ann Arbor, MI, 21-23 May 2013.

14. ABSTRACT

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT **unclassified**	b. ABSTRACT **unclassified**	c. THIS PAGE **unclassified**	**Same as Report (SAR)**	**21**	

Outline

Outline

Outline

Outline

1. Introduction to Methodology
   - Available Potential Energy (APE)

2. Observationally Informed Data
   - Current Meter Archive (CMA)
   - World Ocean Atlas (WOA)

3. Results
   - Low Frequency
   - Tidal

4. Future Work

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Available Potential Energy (APE)

Definition

Available Potential Energy (APE) is the amount of potential energy available for conversion into kinetic energy.

Important for ...

- determining the structure of the pycnocline
- mixing parameterization
- energy budget calculations

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Available Potential Energy (APE)

There are several methods for computing APE [Kang and Fringer, 2010]

Most suitable and direct method

$$APE = \frac{g^2 \rho'^2}{2\rho_0 N^2}$$

- $\rho' \rightarrow$ a density anomaly time series
- $\rho_0 \rightarrow$ mean seawater density
- $N \rightarrow$ Brunt-Vaisala frequency

Still not perfect, ρ' is observationally challenging.

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Available Potential Energy (APE)

$$APE \propto \frac{\rho'^2}{N^2}$$

- Get N^2 term from WOA
- ρ' presents difficulty, use temperature as proxy

$$\rho' \approx \frac{T'}{\partial T/\partial z} \frac{\partial \rho}{\partial z}$$

- $\eta = \frac{T'}{\partial T/\partial z}$
- Can get T' as a mean centered timeseries from CMA
- Can get $\partial T/\partial z$ as time average from WOA
- Can get $\frac{\partial \rho}{\partial z}$ as time average from WOA

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Available Potential Energy (APE)

For the skill test we will check each term from HYCOM output against the Observationally Informed (OI) data.

$$APE \propto \left(\frac{\mathrm{d}T}{\partial T / \partial z} \frac{\partial \rho}{\partial z} \right)^2 \frac{1}{N^2}$$

$$N^2_{HYCOM} \implies N^2_{OI}$$
$$\eta^2_{HYCOM} \implies \eta^2_{OI}$$
$$APE_{HYCOM} \implies APE_{OI}$$

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Current Meter Archive (CMA)
World Ocean Atlas (WOA)

CMA Data Mining
Scott and Furnival [2012]

Expansive archive

- A lot of records (8826 with Temperature records)

Developed an interface system using MATLAB features.

- Slow to access
    - MATLAB is for data processing not data mining
- Interface seems unfamiliar for scientists and MATLAB users in particular

A distributable rewrite is in progress using industry best practices, but is not a top priority.

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Current Meter Archive (CMA)
World Ocean Atlas (WOA)

CMA Results

Statistics about the CMA Data with temperature records

- Number of moorings: 4235
- Number of instruments: 8826
- Number above 1500 m: 7889
- Number with $> 10\%$ missing values: 113

CMA Instrument Locations

- Considered removing records in coastal waters
- Notice North Atlantic data bias

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Current Meter Archive (CMA)
World Ocean Atlas (WOA)

About WOA

- Using the 2009 release
- Several averaging periods available
    - Annual (Using these)
    - Quarterly
    - Monthly
- Temperature and Salinity [Locarnini et al., 2010] [Antonov et al., 2010]

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Low Frequency
Tidal

Low Frequency Results
(Model year 2003)

HYCOM Instrument Locations

- Limited locations to date
- Biased to Western Boundary Current

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Low Frequency
Tidal

- Fairly good agreement between WOA and HYCOM
- Largest discrepancy is in upper ocean

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Low Frequency
Tidal

Individual location – N^2 comparison

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Low Frequency
Tidal

Average N^2 comparison

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Low Frequency
Tidal

- Small bias but large mean square error

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Low Frequency
Tidal

APE Predicted in HYCOM vs. Observed

- Small bias but large mean square error
- APEs results are depth binned into <200m and >200m

Introduction to Methodology
Observationally Informed Data
Results
Future Work
References

Low Frequency
Tidal

Tidal Results

Presently using old HYCOM run (expt 18.5) — only 1 month of hourly output

- Longer run has too much output (8 TB in expt 18.5)
- Can only validate 6 tides
- Skill test has aliasing issues

Will use newer run of several years

- Save hourly output at CMA locations to reduce file size
- Save hourly maps at lower resolution

For the skill testing (Current Project)

- Work through a longer tidal HYCOM run
- More parameter comparisons?
- Scrutinize code and results that we have to date

After skill testing (Future Projects)

- Generate global maps of the low freq. and tidal APEs
- Compute globally integrated low freq. and tidal APE for energy budgets

J. I. Antonov, D. Seidov, T. P. Boyer, R. A. Locarnini, A. V. Mishonov, H. E. Garcia, O. K. Baranova, M. M. Zweng, and D. R. Johnson. *World Ocean Atlas 2009, Volume 2: Salinity*. NOAA Atlas NESDIS 68, U.S. Government Printing Office, Washington, D.C., 2010.

Dujuan Kang and Oliver Fringer. On the calculation of available potential energy in internal wave fields. *J. Phys. Oceanogr.*, 40:2539–2545, 2010.

R. A. Locarnini, A. V. Mishonov, J. I. Antonov, T. P. Boyer, H. E. Garcia, O. K. Baranova, M. M. Zweng, and D. R. Johnson. *World Ocean Atlas 2009, Volume 1: Temperature*. NOAA Atlas NESDIS 68, U.S. Government Printing Office, Washington, D.C., 2010.

Robert B. Scott and Darran G. Furnival. *A guide to GMACMD*. April 2012.